



Matrix

ITEM #	DESCRIPTION
73501	Black Frame / Clear Lens
73521	Black Frame / Light Gold Mirror Lens
73571	Black Frame / Smoke Lens
73581	Black Frame / Blue Mirror Lens

- > Stylish frame
- > Great wrap-around style
- > Rubberized straight temple tips
- > Anti-Scratch UV lens
- > Meets ANZI Z87.1-2003 Standards
- > Meets ANZI + High Impact Standards as well

ITEM #	DESCRIPTION
74201	Blue Frame / Clear Lens
74271	Smoke Frame / Smoke Lens
74241	Smoke Frame / Indoor/Outdoor Lens

- > Rubberized straight temple tips
- > Soft nose pads
- > Anti-Scratch UV lens
- > Meets ANZI Z87.1-2003 Standards
- > Meets ANZI + High Impact Standards as well
- > CUL Certified to meet CAN/CSA-Z94.3 Standards



PT9

ITEM #	DESCRIPTION
76371	Black Frame / Smoke Lens
76601	Blue Frame / Clear Lens

- > Adjustable temples
- > Several frame and lens color options
- > Junior sizes available
- > Anti-Scratch UV absorbing lens
- > Meets ANZI Z87.1-2003 Standards
- > Meets ANZI + High Impact Standards as well
- > CUL Certified to meet CAN/CSA-Z94.3 Standards



Sebring 400

ITEM #	DESCRIPTION
74501	Metallic Frame / Clear Lens
74571	Metallic Frame / Smoke Lens
74541	Metallic Frame / Indoor/Outdoor Mirror Lens

- > Anti-Scratch UV absorbing lens
- > Soft, clear nose pads
- > Great wrap-around style
- > Rubberized straight temple
- > Soft black rubber tips
- > Meets ANZI Z87.1-2003 Standards
- > Meets ANZI + High Impact Standards as well



X12

PROTECTIVE EYEWEAR



X100

ITEM # DESCRIPTION

70201	Black Frame / Clear Lens
70211	Black Frame / Smoke Lens
70221	Black Frame / Indoor-Outdoor Mirror Lens
70231	Black Frame / Silver Mirror Lens

- Anti Scratch UV absorbing polycarbonate lens
- Four lens tint options
- Provides 99.9% UV Protection
- Rubberized straight temple tips
- Reduce glare, eye strain and fatigue
- Meets ANZI Z87.1-2003 and ANZI
- Great wrap-around style

ITEM # DESCRIPTION

70701	Clear Frame / Clear Lens
70711	Amber Frame / Amber Lens
70721	Smoke Frame / Smoke Lens
70731	Black Frame / Indoor-Outdoor Mirror Lens

- Anti Scratch UV absorbing polycarbonate lens
- Four lens tint options
- Provides 99.9% UV Protection
- Rubberized straight temple tips
- Reduce glare, eye strain and fatigue
- Meets ANZI Z87.1-2003 and ANZI
- Great wrap-around style



X300

ITEM # DESCRIPTION

70301	Red, White and Blue Frame / Clear Lens Adjustable Temples
70302	Replacement Node Piece / 6 Pack

- Designed to fit a child or small adult face
- Soft clear nose pads
- Anti-Scratch UV
- Adjustable temples
- Meets ANZI Z87.1-2003 Standards
- Meets ANZI + High Impact Standards as well



DYNO MITES

ITEM # DESCRIPTION

76201	Black Frame / Clear Lens
76231	Black Frame / Shade 3 Lens
76251	Black Frame / Shade 5 Lens

- Graphite compound frame
- 56mm Anti-Scratch UV absorbing polycarbonate lens
- 30mm sideshields
- 6 mm browguard
- 5 ½" (14.61 cm) temples
- Weights only 1.2 oz. (34.02g)
- Meets ANZI Z87.1-2003 Standards



GRAFIT



ODYSSEY II INDUSTRIAL GOGGLE

ITEM # DESCRIPTION

80201	Blue Body / Sealed Dual Scratch-Resistant, Anti-Fog Clear Lens
80202	Blue Body / Sealed Dual Scratch-Resistant, Anti-Fog Amber Lens
80203	Blue Body / Sealed Dual Scratch-Resistant, Anti-Fog Smoke Lens
80242	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Clear Lens
80249	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Amber Lens
80250	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Smoke Lens
80251	Replacement Gray Neoprene Strap

- > Sealed Dual Scratch-Resistant Anti-Fog Lens
- > UV absorbing polycarbonate
- > Ultra comfortable, soft goggle body for a snug seal
- > Indirect vents on the top and bottom, protecting against liquids and dust while permitting indirect ventilation
- > Extra wide peripheral vision
- > Fire-Retardant Cloth Strap
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Meets ANSI Z87.1-2003 Standards
- > Meet CAN/CSA-Z94.3 Standards



ODYSSEY II CLEAN ROOM GOGGLE

ITEM # DESCRIPTION

80200	Blue Body / Sealed Dual Scratch-Resistant Anti-Fog Clear Lens
80242	Replacement Sealed Dual Scratch-Resistant Anti-Fog Clear Lens
80246	Replacement Flame Retardant Strap

- > Sealed "Dual" Anti-Fog Lens
- > Scratch-Resistant on the outside - Anti-Fog on the inside
- > UV absorbing polycarbonate
- > Ultra comfortable, soft goggle body for a snug seal
- > Indirect vents on the top and bottom, protecting against liquids and dust while permitting indirect ventilation
- > Extra wide peripheral vision
- > Flame Retardant Cloth Strap
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Meets ANSI Z87.1-2003 Standards
- > Meet CAN/CSA-Z94.3 Standards



ODYSSEY II CHEMICAL SPLASH GOGGLE

ITEM # DESCRIPTION

80230	Blue High Temp Non-Vented Body / Clear Anti-Fog Lens
80231	Blue High Temp Top Vented Body / Clear Lens
80244	Replacement Clear Anti-Fog Lens
80252	Replacement Clear Lens for 80231 Goggle
80241	Replacement Synthetic Rubber Strap

- > CAN BE AUTOCLAVED
- > UV absorbing polycarbonate Lens
- > High Temperature Material
- > Ultra comfortable, soft goggle body for a snug seal
- > Non-vented body offers the best protection against liquid and dust
- > Extra wide peripheral vision
- > Synthetic Rubber Strap (Latex Free)
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Meets ANSI Z87.1-2003 Standards

PROTECTIVE GOGGLES



ODYSSEY II WILDLAND FIRE GOGGLE



ITEM # DESCRIPTION

80290	Black High Temp Body / Sealed Dual Scratch-Resistant, Anti-Fog Clear Lens
80291	Black High Temp Body / Sealed Dual Scratch-Resistant, Anti-Fog Amber Lens
80293	Black High Temp Body / Sealed Dual Scratch-Resistant, Anti-Fog Orange Lens
80294	80290 Goggles w/ an extra replacement 80242 lens in black nylon goggle case
80242	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Clear Lens
80249	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Amber Lens
80248	Replacement Sealed Dual Scratch-Resistant, Anti-Fog Orange Lens
80246	Replacement Black Cloth Elastic Flame Retardant Strap

- > Sealed Dual Scratch-Resistant Anti-Fog Lens
UV absorbing polycarbonate
- > Ultra comfortable, soft goggle body for a snug seal
- > Indirect vents on the top and bottom, protecting against liquids and dust while permitting indirect ventilation
- > Extra wide peripheral vision
- > Fire-Retardant Cloth Strap
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Meets ANSI Z87.1-2003 Standards
- > Meet CAN/CSA-Z94.3 Standards



ODYSSEY II SHADE 5 CUTTING GOGGLE

ITEM # DESCRIPTION

80200	Black High Temp Body / Sealed Dual Scratch-Resistant, Anti-Fog Clear Lens
80242	Replacement Sealed Dual Scratch-Resistant Anti-Fog Clear Lens
80245	Black Nylon Goggle Case (shown right)
80246	Replacement Black Cloth Elastic Flame Retardant Strap
80221	80220 Fire Goggle with an extra replacement 80242 Lens in black nylon goggle case (shown right)

- > HIGH TEMPERATURE MATERIAL
- > Sealed Dual Scratch-Resistant Anti-Fog Lens
- > UV absorbing polycarbonate lens
- > Ultra comfortable, soft goggle body for a snug seal allowing no smoke to come in
- > Extra wide peripheral vision
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Meets ANSI Z87.1-2003 Standards
- > Meet CAN/CSA-Z94.3 Standards
- > Meets NFPA 1977



ODYSSEY II CHEMICAL TACTICAL GOGGLE

ITEM # DESCRIPTION

80211	Black High Temp Body / Shade 5 IR Lens Packaged in a Point of Sale Clam
80210	Black High Temp Body / Shade 5 IR Lens Packaged in a Polybag
80243	Replacement Shade 5 IR Lens
80246	Replacement Black Cloth Elastic Flame Retardant Strap

- > Shade 5 IR Lens
- > Ultra comfortable, soft goggle body for a snug seal
- > Indirect vents on the top and bottom, protecting against liquids and dust while permitting indirect ventilation
- > Extra wide peripheral vision)
- > Fits over prescription eyewear
- > Easy strap adjustment
- > Fire Retardant Strap
- > Meets ANSI Z87.1-2003 Standards
- > Meet CAN/CSA-Z94.3 Standards



Sta-Clear
Pre-Moistened Lens Cleaning Tissue Packets

ITEM #	DESCRIPTION
23490	Sta-Clear Pre-Moistened Lens Cleaning Tissue Packets in Self-Dispensing Box (110 Per Box)
23491	Sta-Clear Pre-Moistened Lens Cleaning Tissue Packets in Resealable Personal Pak (40 Pckts/Pak)
23492	Sta-Clear Pre-Moistened Lens Cleaning Tissue in Bulk (1,000 Packets/Box)

- > Cleans glass & plastic
- > Anti-static, anti-fog cleaning solution impregnated in tissues
- > Contains no silica so lenses stay scratch-free
- > Cleans without streaking or leaving a static residue
- > Convenient and easy to use single packets
- > One step cleaning, no need for a dry tissue
- > Large towelette measures 5"x8" (12.70 cm x 20.32 cm)
- > Handy self-dispensing box contains 100 pkts
- > Dispenser box may be wall mounted or rest on table

ITEM #	DESCRIPTION
23490	Sel-Kleen Pre-Moistened Equipment Cleaning Tissue Packets containing 70% Alcohol in Self-Dispensing Box (110 Per Box)
22185	Sel-Kleen Pre-Moistened Equipment Cleaning Tissue Packets containing No Alcohol in Self-Dispensing Box (110 Per Box)

- > Anti-static, anti-fog cleaning solution impregnated in tissues
- > Contains no silica; scratch free
- > Convenient and easy to use single packets
- > One step cleaning, no need for a dry tissue
- > Large towelette measures 5"x8" (12.70 cm x 20.32 cm)
- > Handy self-dispensing box contains 100 pkts
- > Dispenser box may be wall mounted or rest on table



Sel-kleen
Pre-Moistened Equipment Cleaning Packets

ITEM #	DESCRIPTION
23480	Sta-Clear Lens Cleaning Tissue in Self-Dispensing Box (1,000 Tissues Per Box)

- > Anti-static, anti-fog cleaning solution impregnated in tissues
- > Needs only water to activate
- > Contains no silica so polycarbonate lenses stay scratch-free
- > 1,000 Tissues per box
- > Tissue box measures 5 1/4" x 4 1/2" x 4 1/8" (13.02 x 12.07 x 11.75 cm)
- > Tissue measures 4 1/2" x 10 1/2" (11.43 x 27.31 cm)



Sta-Clear
Lens Cleaning Tissues

LENS CLEANING



Sta-Clear Lens Cleaning Station



ITEM # DESCRIPTION

23469	Sta-Clear Disposable Lens Cleaning Station (includes water bottle & pump) 8 5/8"W x 6 1/2"H x 5 3/8"D
23470	Sta-Clear Metal Lens Cleaning Station (includes water bottle & pump 1,000 tissues) 8 5/8"W x 6 1/2"H x 5 3/8"D

- > Complete with tissue and pump spray bottle
- > Opening for litter-free disposal of used tissues
- > Anti-static, anti-fog cleaning solution impregnated in tissues
- > Needs only water to activate
- > Contains no silica so polycarbonate lenses stay scratch-free
- > Tissue measures 4 1/2" x 10 1/2" (11.43 x 27.31)

CABINETS / SPILL CONTROL

ITEM # DESCRIPTION

68000	Spill Control Station Cabinet
<i>Spill Pillows in Box Quantity</i>	
68120	1 Quart Lab Pillow, Carton/12
68100	1 Gallon Industrial Spill Pillows, Carton/12

ITEM # DESCRIPTION

<i>Replacement Parts</i>	
68130	1 Liter Hydrofluoric Spill Pillows, Carton/4
68140	Pads/Blankets Carton/15
68155	Tyvek Total Body Coveralls Saranex (Large)
68160	Protective gloves (Shrink-wrapped) pr. Lrg only
68170	Chemical Splash Goggles, Shrink-wrapped/Pair
68180	Hazardous Waste Bags with ties, Carton/15

Spill Control Station

- Be prepared for easy clean-up of emergency spills
- Universal spill control pillows absorb and contain all types of acid, caustic, solvent or oil
- Special pillows for hydro-fluoric acid
- Cabinet 30 1/2"H x 15"W x 9 1/2"D (78.11cm x 38.10cm x 24.13cm)
- Contains: 10 Standard Spill Pillows, 2 Hydrofluoric Spill Pillows, 15 Sorbent Pads, 2 Total Body Saranex "Tyvek" Coveralls, 2 Pairs of Gloves, 2 Chemical Splash Goggles, 15 Hazardous Waste Bags & Ties



DP4 Multi Purpose Series

Convenient System Gives you the Flexibility to Handle Various Types of Grinding, Brazing and Flame Cutting

The new DP4 faceshield combines a clear anti-fog window with a flip-down IR window, providing uninterrupted protection for grinding, cutting and brazing operations. The shield curves naturally to fit facial contours--ensuring reliable protection from splash, particles and flying debris. Ratchet headgear suspension allows user to adjust size and tighten at the turn of a knob. Rugged, polycarbonate shield is impact and splash resistant. Meets ANSI Z87.1 standards and is CUL-certified to meet CAN/CSA-Z94.3 standards.

OPTIONS

- Clear Full Face for grinding and chipping operations.
- Combination with flip-up shade 5 or 6 for grinding, chipping and/or brazing.
- Combination with flip-up shade 8 for grinding, chipping, brazing and/or cutting operations.



Fl a me AND PLASMA CUTTING



ITEM # DESCRIPTION

DP4 Multi-Purpose Faceshields Ratchet Headgear Included

32010	Black Crown, Ratchet Headgear with a Clear Anti-Fog window
32030	Black Crown, Ratchet Headgear with a Shade 3 IR window
32050	Black Crown, Ratchet Headgear with a Shade 5 IR window
32151	Black Crown, Ratchet Headgear with a Clear Anti-fog window with a Shade 5 IR Flip Front window
32161	Black Crown, Ratchet Headgear with a Clear Anti-fog window with a Shade 6 IR Flip Front window
32181	Black Crown, Ratchet Headgear with a Clear Anti-fog window with a Shade 8 IR Front window

DP4 with Universal Slot Hard Hat Adapter (For Slotted Hard Hats) Ratchet Headgear Not Included

32012	Black Crown with Universal Slot Adapter with a Clear Anti-Fog window
32031	Black Crown with Universal Slot Adapter with a Shade 3 IR window
32051	Black Crown with Universal Slot Adapter with a Shade 5 IR window
32151	Black Crown with Universal Slot Adapter with a Clear Anti-fog window with a Shade 5 IR Flip Front window
32162	Black Crown with Universal Slot Adapter with a Clear Anti-fog window with a Shade 6 IR Flip Front window
32182	Black Crown with Universal Slot Adapter with a Clear Anti-fog window with a Shade 8 IR Flip Front window

DP4 with Zip-Clip Attachment (For Non-Slotted Hard Hats) Ratchet Headgear Not Included

32013	Black Crown with Zip-Clip Attachment with a Clear Anti-Fog window
32033	Black Crown with Zip-Clip Attachment with a Shade 3 IR window
32053	Black Crown with Zip-Clip Attachment with a Shade 5 IR window
32153	Black Crown with Zip-Clip Attachment with a Clear Anti-fog window with a Shade 5 IR Flip Front window
32163	Black Crown with Zip-Clip Attachment with a Clear Anti-fog window with a Shade 6 IR Flip Front window
32183	Black Crown with Zip-Clip Attachment with a Clear Anti-fog window with a Shade 8 IR Flip Front window

NO INTERRUPTIONS

- FIRST EVER combination clear anti-fog window with Shade 5 IR flip-up lens for use in grinding, cutting and brazing operations
- FIRST EVER combination clear anti-fog window with Shade 8 IR flip-up lens for plasma cutting operations
- UV absorbing polycarbonate windows
- Available with hard hat attachments
- Meets ANSI Z87.1-2003 Standards
- CUL Certified to meet CAN/CSA-Z94.3 Standards



First FACESHIELD
in the market that meets
ANZI Z49.1
Standards for
Plasma Cutting

DP4 Replacement Parts

32000	Black Crown for Clear, Shade 3 and Shade 5 models
32001	Black Crown for all Flip Front models
32100	Clear Anti-Fog Window
32130	Shade 3 IR Window
32150	Shade 5 IR Window
32155	Shade 5 IR Flip Front Window
32166	Shade 6 IR Flip Front Window
32188	Shade 8 IR Flip Front Window
32011	Replacement Ratchet Headgear
61800	Replacement Zip-Clip Attachment Kit
61970	Replacement Universal Slot Kit

LENS CLEANING



Sta-Clear Lens Cleaning Station



ITEM # DESCRIPTION

23469	Sta-Clear Disposable Lens Cleaning Station (includes water bottle & pump) 8 5/8"W x 6 1/2"H x 5 3/8"D
23470	Sta-Clear Metal Lens Cleaning Station (includes water bottle & pump 1,000 tissues) 8 5/8"W x 6 1/2"H x 5 3/8"D

- > Complete with tissue and pump spray bottle
- > Opening for litter-free disposal of used tissues
- > Anti-static, anti-fog cleaning solution impregnated in tissues
- > Needs only water to activate
- > Contains no silica so polycarbonate lenses stay scratch-free
- > Tissue measures 4 1/2" x 10 1/2" (11.43 x 27.31)

CABINETS / SPILL CONTROL

ITEM # DESCRIPTION

68000	Spill Control Station Cabinet
<i>Spill Pillows in Box Quantity</i>	
68120	1 Quart Lab Pillow, Carton/12
68100	1 Gallon Industrial Spill Pillows, Carton/12

ITEM # DESCRIPTION

<i>Replacement Parts</i>	
68130	1 Liter Hydrofluoric Spill Pillows, Carton/4
68140	Pads/Blankets Carton/15
68155	Tyvek Total Body Coveralls Saranex (Large)
68160	Protective gloves (Shrink-wrapped) pr. Lrg only
68170	Chemical Splash Goggles, Shrink-wrapped/Pair
68180	Hazardous Waste Bags with ties, Carton/15

Spill Control Station

- Be prepared for easy clean-up of emergency spills
- Universal spill control pillows absorb and contain all types of acid, caustic, solvent or oil
- Special pillows for hydro-fluoric acid
- Cabinet 30 1/2"H x 15"W x 9 1/2"D (78.11cm x 38.10cm x 24.13cm)
- Contains: 10 Standard Spill Pillows, 2 Hydrofluoric Spill Pillows, 15 Sorbent Pads, 2 Total Body Saranex "Tyvek" Coveralls, 2 Pairs of Gloves, 2 Chemical Splash Goggles, 15 Hazardous Waste Bags & Ties



allen
cooper



COLOURS

Red, Green, Grey, Khaki, Blue, Petrol Blue
Orange and White

SIZE : S - 4XL

210 GSM

COLOUR FAST
SHRINKAGE FREE

100% COTTON COVERALL, DOUBLE STITCHED,
WITH TWO CHEST POCKETS VELCRO CLOSING,
WITH FRONT PUSH BUTTONS AND PLASTIC ZIP,
2 SIDE POCKETS, 1 BACK POCKET,
PEN POCKET IN RIGHT ARM.





Hard Hat / Goggle Attachments



ITEM # DESCRIPTION

- 61910 Goggle Retainer for Hard Cap Hard Hats
- 61911 Goggle Retainer for Full Brim Hard Hats

- > Designed for use where protective goggle must be worn with a safety full brim or cap hard hat
- > Installs quickly and easily
- > No special tools required
- > Dielectric retainer will secure the goggle on the safety cap or hard hat when the goggle is not in use and hold the goggle securely when worn for eye protection
- > Goggles, cap or hard hat not included

ITEM # DESCRIPTION

- 61500 Quick Snap Slot Adapter
- 61505 Visor Bracket
- 61510 Pro Muff w/ Slot filter for Univ. Use (NRR 27)
- 61520 Nylon Mesh Visor 6" x 11"
- 61521 Steel Mesh Visor 6" x 11"
- 61540 8" x 12" x .060" Clear Polycarbonate Window

Quick Snap System Hard Hat / Faceshield Combination

- > Attaches ear muffs and faceshields to slotted hard hats
- > Lightweight system
- > Fits most competitive hard hats
- > No special tools required
- > Visor/Window bracket constructed of reinforced nylon
- > Mesh visor provides ventilation
- > Hearing Muffs Noise Reduction Rating 27.0
- > Hard Hats meets ANZI Z89.1 Standards for class G, E and C, Type I
- > Hard Hat CE approved



Brush Cutter System - Hard Hat / Faceshield / Ear Muff Combination



ITEM # DESCRIPTION

- 61590 Brush Cutter System includes: Orange Hard Hat with Ratchet Suspension Quick Snap Ear Muff Attachment, Visor Bracket and 6" x 11" Nylon Mesh Visor
- 61510 Quick Snap Ear Muffs (NRR 27)

- > Attaches ear muffs and faceshields to slotted hard hats
- > Ear muffs are adjustable
- > Lightweight system
- > No special tools required
- > Visor/Window bracket constructed of reinforced nylon
- > Mesh visor provides ventilation
- > Hearing Muffs Noise Reduction Rating 27.0
- > Hard Hats meets ANZI Z89.1 Standards for class G, E and C, Type I
- > Hard Hat CE approved

ADAPTERS AND ACCESSORIES

Hard Hat / Faceshield Adapter



- > This is totally dielectric slot adapter offers a simple method of attaching faceshields to most slotted hard hats
- > Easy to assemble



ITEM # **DESCRIPTION**
61970 Universal Slot Adapter

Hard Hat / Faceshield Adapter



- > This is totally dielectric slot adapter offers a simple method of attaching faceshields to most slotted hard hats
- > Easy to assemble

ITEM # **DESCRIPTION**
61970 Available with Any Sellstrom Welding Helmet
Universal Hard Hat Slot Adapter Installed instead of headgear

Dust Mask



- > Universal fit
- > Nose bridge conforms to any nose
- > Quality at an affordable price
- > Soft material provides comfortable, secure fit

ITEM # **DESCRIPTION**
22010 Nuisance Dust Mask (1 Box / 150)

Faceshield Attachement



- > Excellent head, face & neck protection
- > Fits Sellstrom & most competitive hard hats
- > Meets ANSI Z87.1



ITEM # **DESCRIPTION**
61970 Available with Any Sellstrom Welding Helmet
Universal Hard Hat Slot Adapter Installed instead of headgear

Dust Mask



- > Ideal for attaching Sellstrom faceshields and welding helmets to any type of hard hat
- > Use with unslotted hard hats
- > Provide a tight secure fit
- > Two styles: faceshields, welding helmets

ITEM # **DESCRIPTION**
61700 **Zip-Klip Hard Hat Attachment for Welding Elements**
61800 **Zip-Klip Hard Hat Attachment for 330 & 390 series**

Sweatbands



- > Comfortably keeps perspiration from your eyes and face
- > Durable

ITEM # **DESCRIPTION**
22442 Capilair Vinyl Sweatband for Faceshields
22450 450 Sweat-Band All purpose, rubber headband
(1 Box / 30)

Winter Liners



- > Fight the elements and remain warm with one three winter liners
Universal size
- > Three tabs keep liner aligned with suspension
- > Adjustable chin strap for customized fit

ITEM # **DESCRIPTION**
62110 One Size / Light Weight / Yellow Canton Flannel
62240 One Size / Medium Weight / Blue Cotton Twill with Fleece Lining
62360 One Size / Heavy Weight /
Green Quilted Cotton Twill with Fleece Lining

Chin Straps



- > Chin strap provides extra stability and greater mobility
- > Fits Sellstrom 6 point hard hats
- > Fits into Universal Slot Adapter tabs
- > Soft, absorbent band

ITEM # **DESCRIPTION**
60200 Capilair Vinyl Sweatband for Faceshields
450 Sweat-Band All purpose, rubber headband
(1 Box / 30)



Gravit-Eye Portable Gravity Flow Eye Wash Unit

- > Personal Eye Wash sterile Solution
- > Ideal for emergency first response
- > Easy wall mount
- > Fast, Simple and Effective

ITEM # DESCRIPTION

90331	Single 16 oz. Bottle Station (FDA Approved) (Shown)
90332	Single 32 oz. Bottle Station (FDA Approved)
90333	Double 32 oz. Bottle Station (FDA Approved) (Shown)

Replacement Bottle Solutions

90329	Sterile 16 oz. Bottle Station (FDA Approved)
90330	Sterile 32 oz. Bottle Solution (FDA Approved)

ITEM # DESCRIPTION

90360	6 Gallon Personal Eye Wash Station (13 lbs)
90320	16 Gallon Personal Eye Wash Station (17 lbs) (Shown)

Replacement Parts

90355	Dust Cover (for 16 gallon unit)
90321	Drain Hose (for 16 gallon unit)
90322	8 oz. Bacteriostatic Additive (Shown)
90324	Mounting Bracket (for 16 gallon unit)

- > Tank: High density green polyethylene, has heavy wall construction and reinforced ribs to support weight of unit.
- > Approximate dimensions: 20 1/2" H x 21" W x 19" D
- > Eye Wash Solution: Fill with clean potable water and add Redi-Sep bacteriostatic additive furnished with unit.
- > Outlet Heads: Integral full flow nozzles.
- > Drain: Water is directed into drain opening in tank basin, a 3' long drain hose directs discharge into floor drain, storage tank.
- > Mounting: Furnished with zinc plated steel bracket for wall mounting or resting on flat surface
- > Meets ANSI Z358.1 Standards for Eyewash



Rapid-Clear Personal Eye Wash Bottle Stations

ITEM # DESCRIPTION

90100	Faucet Mounted Eye Wash Unit with Adjustable Aerated Outlet Heads 3" Apart
90101	Faucet Mounted Eye Wash Unit with Adjustable Aerated Outlet Heads 5" Apart for Gooseneck Type Faucets
90102	Faucet Mounted Eye Wash Unit w/ Non-Adjustable Solid Stream Outlet Heads

- > Turns any standard faucet into an emergency eye wash with limitless water supply
- > Chrome plated brass construction with internal components easily accessible for maintenance
- > Adjustable outlet heads angled at 45°. Heads are aerated for soft continuous flow
- > Quality Assurance: Unit is completely assembled and individually water tested prior to shipment
- > Classified as a personal eye wash, but does not meet requirements of ANSI Z358.1 as a primary eye wash



SentryWash Faucet Mounted Eye Wash Units

EYE / FACE WASH UNIT

SentryWash Hand Held Drench Hose Eye Wash Unit



ITEM #	DESCRIPTION
90600	Hand Held Drench Hose unit
90600-2	Hand Held Drench Hose Unit with Wall Hook. Does not meet requirements as primary eye wash.
90602-1	Hand Held Eye Wash/Drench Unit with Deck Mount
90602-2	Hand Held Eye Wash/Drench Hose Unit with Deck Mount with Wall Mount

- > Outlet Head Assembly: 2 outlet heads, each head has self-regulating flow control (to assure soft, balanced flow), filter to remove debris from water, and float-off dust cover. All wearing components are located in head for ease of service. Head are mounted side by side on chrome plated brass elbow fittings.
- > Valve: Chrome plated forged brass squeeze valve activated by stainless steel lever handle. Valve has locking clip which engages when handle is depressed, providing "hands free" operation. Valve stays open until locking clip is released. Made in the USA.
- > Hose: 8' reinforced PVC hose, 300 PSI maximum rated working pressure. Recommended pressure for unit is 80 PSI maximum.
- > Mounting: Epoxy coated aluminum wall bracket with spring clips to hold unit to wall. Clips position spray heads are handle to face forward at all times.
- > Supply: 3/8" IPS male swivel-type inlet
- > Quality Assurance: Unit is completely assembled and individually water tested prior to shipment.
- > Meets ANSI Z358.1-2004 Standards

SentryWash Mounted Eye/Face Wash Units



ITEM # DESCRIPTION

Eye Wash Meets ANZI Z358.1 Standards

90430	Deck/Counter Mounted Eye Wash Unit with 2 Gentle Spray Outlet Heads w/ a Counter Mount Swing Away (4 lbs.)
90440	Wall Mounted Eye Wash Unit with Stainless Steel Bowl and 2 Gentle Spray Outlet Heads
90445	Wall Mounted Eye Wash Unit with ABS plastic Bowl and 2 Gentle Spray Outlet Heads

Eye/Face Wash Meets ANSI Z358.1 Standards

90410	Wall Mounted Eye/Face Wash Unit w/ Stainless Steel Bowl and 4 Fine Spray Outlet Heads
90415	Wall Mounted Eye/Face Wash Unit w/ ABS Plastic Bowl and 4 Fine Spray Outlet Heads
90420	Wall Mounted Eye/Face Wash Unit w/ Stainless Steel Bowl and 2 Fine Spray Outlet Heads



- > Outlet Head Assembly: 2 or 4 heads, each has self-regulating flow control to assure soft, balanced flow, filter to remove debris from water and float-off dust cover. All wearing components are located in head for ease of service. Heads are mounted on chrome plated brass supply arms.
- > Valve 1/2"IPS chrome plated brass stay-open ball valve. Activated by epoxy coated cast aluminum flag handle. Valve is made in USA.
- > Bowl: 11 1/2" stainless steel. Part No. 90430 has a 13" flanged stainless steel bowl for recessed mounting in countertop. Furnished with all necessary hardware for installation.
- > Mounting: Heavy-duty corrosion-resistant cast aluminum wall bracket
- > Supply: 1/2"IPS female inlet. Part No. 90430 supply is 1/2"IPS male inlet
- > Waste: 1 1/4" IPS female outlet
- > Quality Assurance: Unit is completely assembled and individually water tested prior to shipment
- > Meets ANSI Z358.1-2004 Standards

SentryWash Pedestal Mounted Eye/Face Wash Units

ITEM # DESCRIPTION

Eye Wash Meets ANSI Z358.1 Standards

90450	Pedestal Mounted Eye Wash Unit with Stainless Steel Bowl and 2 Gentle Spray Outlet Heads (18 lbs.)
90455	Pedestal Mounted Eye Wash Unit with ABS plastic Bowl and 2 Gentle Spray Outlet Heads (17 lbs.)
90455-4	Same as #90455 with Hand Foot Control (16 lbs.)

Eye Wash Meets ANSI Z358.1 Standards

90421	Barrier-Free Pedestal Mounted Eye Wash Unit with Stainless Steel Bowl & 4 Fine spray Outlet Heads (24 lbs.)
90452	Pedestal Mounted Eye Wash Unit with Stainless Steel Bowl & 4 Fine spray Outlet Heads (16 lbs.)
90457	Pedestal Mounted Eye Wash Unit with ABS Plastic Steel Bowl & 4 Fine spray Outlet Heads (15 lbs.)



SentryWash Faucet Mounted Eye Wash Units

- > Eye wash with Stay-Open Ball Valve
- > Outlet Head Assembly: 2 or 4 heads, each has self-regulating flow control to assure soft, balanced flow, filter to remove debris from water and float-off dust cover. All wearing components are located in head for ease of service. Heads are mounted on chrome plated brass supply arms.
- > Valve 1/2"IPS chrome plated brass stay-open ball valve. Activated by epoxy coated cast aluminum flag handle. Valve is made in USA.
- > Bowl: 11 1/2" stainless steel.
- > Mounting 1 1/4" IPS hot-dipped galvanized steel pipe and fittings, 9" aluminum floor flange.
- > Supply: 1/2"IPS male inlet
- > Waste: 1 1/4"IPS female outlet
- > Quality Assurance: Valve, bowl and head assembly are factory assembled and individually water tested prior to shipment.
- > Meets ANSI Z358.1-2004 Standards

EYE / FACE WASH UNIT

SentryWash Vertical/Ceiling Mounted Safety Stations



ITEM # DESCRIPTION

- 90235 Vertical Mount Drench Shower with a ABS plastic Head, Stay Open Valve
- > Shower Head - 10" blue ABS plastic shower head delivers 30 gPM at 30 PSI & spray pattern is 20" diameter at 60" above floor
 - > Valve - 1" IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and stainless steel pull rod. Valve is made in USA
 - > Pipe and Fittings - 1" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
 - > Supply - 1" IPS female inlet
 - > Vertical Mount Drench Showers with a Stay Open Valve meet ANSI Z358.1-2004 Standards

SentryWash Vertical Mounted Self-Closing Safety Stations



ITEM # DESCRIPTION

- 90211 Vertical Mount Drench Shower with a ABS plastic Head, Self-Closing valve
- > Shower Head - 10" blue ABS plastic shower head delivers 30 gPM at 30 PSI & spray pattern is 20" diameter at 60" above floor
 - > Valve - 1" IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and stainless steel pull rod.
 - > Valve is made in USA
 - > Pipe and Fittings - 1" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
 - > Supply - 1" IPS female inlet

SentryWash Horizontal/Wall Mounted Safety Stations



ITEM # DESCRIPTION

- 90100 Horizontal Mount Drench Shower with a ABS plastic Head, Stay Open Valve
- 90101 Horizontal Mount Drench Shower with a Stainless Steel Head, Stay Open Valve
- 90102 Horizontal Mount Drench Shower with a ABS plastic Head, Slow Self-Closing Valve
- > Shower Head - 10" blue ABS plastic shower head delivers 30 gPM at 30 PSI & spray pattern is 20" diameter at 60" above floor
 - > Valve - 1" IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and stainless steel pull rod.
 - > Valve is made in USA
 - > Pipe and Fittings - 1" IPS Schedule 40 hot-dipped galvanized steel nipple with blue ABS plastic elbow
 - > Supply - 1" IPS female inlet
 - > Horizontal Mount Drench Showers with a Stay Open Valve meet ANSI Z358.1-2004 Standards

EMERGENCY SHOWERS

SentryWash Eye Wash & Shower Safety Stations



- > Shower Head: 10" blue ABS plastic shower head delivers 30 gPM at 30 PSI. Spray pattern is 20" diameter at 60" above floor
- Shower Valve: 1" IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and stainless steel pull rod. Valve is made in the USA
- > Eyewash outlet Head Assembly: Two outlet heads. Each head has self-regulating flow control (to assure soft, balanced flow), filter to remove debris from water and float-off dust cover. All wearing components are located in head for ease of service. Heads are mounted on chrome plated brass supply arms.
- > Eye Wash Bowl: 11 1/2" stainless steel
- > Eye Wash Valve: 1/2" IPS chrome plated brass stay-open ball valve.
- > Activated by epoxy coated cast aluminum flag handle. Valve made in USA
- > Pipe and Fitting: 1 1/4" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings with 9" cast aluminum floor flange
- > Supply: 1g" IPS female top or side inlet
- > Waste: 1 1/4" IPS female outlet
- > Quality Assurance: Eye wash frame is factory assembled and individually water tested prior to shipment.
- > Meets ANSI Z358.1-2004 Standards

ITEM # DESCRIPTION

90510	Eye Wash/Drench Shower Unit - Stainless Steel Bowl with 2 Gentle Spray Head Outlets and a ABS plastic Shower Head. Meets ANSI Z358.1 Standards
90510-2	Eye Wash/Drench Shower Unit - Stainless Steel Bowl w/ 2 Gentle Spray Head Outlets and a Stainless Steel Shower Head (40 lbs.) Meets ANSI Z358.1 Standards
90520	Eye Wash/Drench Shower Unit - ABS Plastic Bowl w/ 2 Gentle Spray Head Outlets and a ABS Plastic Shower Head (40 lbs.) Meets ANSI Z358.1 Standards
90520-3	Eye Wash/Drench Shower Unit - ABS Plastic Bowl w/ 2 Gentle Spray Head Outlets and a ABS plastic Shower Head w/ Self Closing Valve (40 lbs.)
90520-4	Eye Wash/Drench Shower Unit - ABS Plastic Bowl w/ 2 Gentle Spray Head Outlets and a ABS plastic Shower Head w/ Hand foot control (40 lbs.) Meets ANSI Z358.1 Standards
90524	Eye Wash/Drench Shower Unit - ABS Plastic Bowl w/ 4 Gentle Spray Head Outlets and a ABS Plastic Shower Head (40 lbs.) Meets ANSI Z358.1 Standards
90530	Barrier Free Eye Wash/Drench Shower Unit - Stainless Steel Bowl with 4 Gentle Spray Head Outlets and a ABS plastic Shower Head with Stay Open Valve 40 lbs.. Meets ANSI Z358.1 Standards
90550	Eye Wash/Drench Shower Unit - ABS Plastic Shower Head - no Bowl - with Stay Open Valve (35 lbs.) Meets ANSI Z358.1 Standards
90560	Eye Wash/Drench Shower Unit - ABS Plastic Shower Head with 2 Gentle Spray Head Outlets, ABS plastic Shower Head, Corrosion Resistant - All Stainless Steel Construction (31 lbs.) Meets ANSI Z358.1 Standards
90562	Eye Wash/Drench Shower Unit - Stainless Steel Bowl, ABS plastic Shower Head with Stay Open Valve, Freeze Resistant (83 lbs.) Meets ANSI Z358.1 Standards
90570	Eye Wash/Drench Shower Unit - Stainless Steel Bowl, ABS plastic Shower Head with Stay Open Valve, Corrosion Resistant - All Stainless Steel Construction (55 lbs.) Meets ANSI Z358.1 Standards

ITEM # DESCRIPTION

90305	5 Gallon Portable Drench Hose Unit (14 lbs.)
90312	10 gallon Portable Drench Hose Unit (26 lbs.) Meets ANSI Z358.1 Standards



SentryWash Portable Safety Stations

- > Stainless Steel Tank
- > Built in carrying handles
- > Air intake fitting, pressure gauge and automatic pressure relief valve
- > 8 oz. Bottle of bacteriostatic additive included (keeps water viable up to 6 month)

HEARING PROTECTION

Tonedown E100 Electronic Ear Muff



ITEM # DESCRIPTION

23405 Tonedown E100 Electronic Ear Muff

- > Provides superb hearing protection while allowing the user to carry on a conversation or hear warning calls
- > Automatically silences all noises above 85db
- > LED power indicator
- > On/Off switch with volume control
- > Solid-state circuit
- > Built-in microphone amplifies low-level sounds
- > Comfortable with soft ear cushions
- > Adjustable headband
- > Powered by 2 AA batteries (not included)
- > Noise Reduction Rating 21.0
- > Meets ANSI S3.19 Standard

Tonedown 200 Ear Muff



- > Conical shape, one size fits all
- > Corded or un-corded
- > Non-toxic, hypo-allergenic
- > Reusable, wash with warm water & mild soap
- > Meets ANSI S3.19
- > Noise Reduction Rating of 24.0

ITEM # DESCRIPTION

23400 Tonedown 200 Ear Muff
23441 Replacement Cushion, pair
23442 Replacement Foam, pair
23443 Replacement Headband

- > Adjustable ear cups
- > Comfortable tension band
- > Bright safety yellow color
- > Dielectric
- > Replacement Parts Available
- > Meets ANSI S3.19
- > Noise Reduction Rating of 26.0



ITEM # DESCRIPTION

23461 De-Tone Ear Plugs, Un-Corded
23463 De-Tone Ear Plugs, Corded

Tonedown 200 Ear Muff

Brush Cutter System - Hard Hat / Faceshield / Ear Muff Combination

- > Attaches ear muffs and faceshields to slotted hard hats
- > Ear muffs are adjustable
- > Lightweight system
- > No special tools required
- > Visor/Window bracket constructed of reinforced nylon
- > Mesh visor provides ventilation
- > Hearing Muffs Noise Reduction Rating 27.0
- > Hard Hats meets ANZI Z89.1 Standards for class G, E and C, Type I
- > Hard Hat CE approved


ITEM # DESCRIPTION

61590 Brush Cutter System includes: Orange Hard Hat with Ratchet Suspension
Quick Snap Ear Muff Attachment, Visor Bracket and 6" x 11" Nylon Mesh Visor
61510 Quick Snap Ear Muffs (NRR 27)



KNEE PADS

Knee-Pro Ultra Flex III Knee Pads



ITEM #	DESCRIPTION
96110	Knee-Pro Ultra Flex III Knee Pads (Comes in Drawstring Bag)

- > Virtually indestructible
- > Hard plastic outer shells are extremely strong and durable
- > Hinged with metal rivet for ease of movement while kneeling or walking
- > Non-Marking Grip-Strip on any surface
- > Soft elastic woven straps with reinforced sewn ends are attached well above and below the knee
- > Will not bind behind knee
- > Lightweight for all-day use
- > 1/2" closed cell foam inner foam pad offers the ultimate in comfort and protection
- > Speed-clips allow for quick attachment and adjustments
- > Made in USA

- > Provides comfort and protection to a variety of work environments
- > Lightweight for all-day use
- > Velcro straps allow for quick attachment and adjustments
- > Will not bind behind knee
- > Adapts to the natural movement of the knee
- > Economically priced
- > Made in USA



Pro-Series Knee Pads



ITEM #	DESCRIPTION
96210	Gentle Knee Pad (a)
96230	Softcap Knee Pad (b)
96240	Fire Retardant Knee Pad (c)
96250	Hardcap Knee Pad (d)



Kneel Eze Knee Pads

ITEM #	DESCRIPTION
23461	Kneel-Eze KE-1 Knee Pad w/ strap
23463	Kneel-Eze KE-2 Knee Pad w/ strap & sole

- > Extremely durable, natural sponge rubber molded pad
- > Comfortable 2" elastic straps
- > Snug and non-binding
- > Adjustable hook/loop fastening for quick dressing
- > Two styles available
- > KE-2 Knee Pad includes a super tough second rubber sole
- > Made in USA